

UPPBLÅSBARA TÄTNINGAR

APS - TYP 4 RITNINGAR
INFLATABLE SEALS - TYPE 4 DRAWINGS

Laxstjärt profil



(Klicka på artikelnumret för att komma till rätt ritning)



Artikel/Part	Höjd/Height	Bredd/Width	Expansion	Standardmaterial
APS438/DR38	6,1	10,4	6,4	VMQ
APS437/DR37	6,4	10,4	8,5	VMQ
APS4176/DR176	8,5	14,0	4,8	EPDM
APS446/DR46	9,3	13,2	6,4	VMQ
APS471/DR71	22,6	25,4	4,8	VMQ
APS495/DR95	10,2	16,9	6,4	VMQ
APS4186/DR186	13,0	19,1	8,5	VMQ
APS496/DR96	10,2	21,8	8,5	VMQ
APS4180/DR180	14,0	22,4	4,0	VMQ
APS436/DR36	10,7	23,1	11,1	EPDM
APS476/DR76	15,0	24,8	3,2	EPDM
APS439/DR39	14,7	25,4	9,5	EPDM
APS4103/DR103	15,0	31,8	3,2	EPDM
APS4170/DR170	30,0	35,0	38,1	EPDM
APS4126/DR126	14,9	35,6	19,1	EPDM
APS459/DR59	21,1	52,3	15,9	NBR
APS452/DR52	48,5	63,0	19,1	EPDM
APS4105/DR105	16,5	16,0	4,8	VMQ
APS485/DR85	19,1	25,4	10,6	EPDM
APS490/DR90	15,9	14,0	4,8	EPDM
APS4101/DR101	16,0	16,5	7,9	CR

*Alla mått är i mm (All dimensions are in millimetres)

*Vi reserverar oss mot eventuella felskrivningar och ändringar



ISOMETRIC VIEW


PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DYNAMIC RUBBER, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DYNAMIC RUBBER, INC. IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN MILLIMETERS	DRAWN	T. Thompson	11/13/2009
		TOLERANCES:	CHECKED		
		FRACTIONAL $\pm$	ENG APPR.		
		ANGULAR: MACH $\pm$ BEND $\pm$	MFG APPR.		
		TWO PLACE DECIMAL $\pm$	Q.A.		
		THREE PLACE DECIMAL $\pm$	COMMENTS:		
		INTERPRET GEOMETRIC TOLERANCING PER:			
		MATERIAL			
		FINISH			
NEXT ASSY	USED ON				
APPLICATION		DO NOT SCALE DRAWING			




SIZE	DWG. NO.	REV
A	APS438/DR38	1
SCALE: 1:2	WEIGHT:	SHEET 1 OF 1

6.4



10.4



ISOMETRIC VIEW

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DYNAMIC RUBBER, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DYNAMIC RUBBER, INC. IS PROHIBITED.


		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN MILLIMETERS	DRAWN	T. Thompson	11/13/2009
		TOLERANCES:	CHECKED		
		FRACTIONAL ±	ENG APPR.		
		ANGULAR: MACH ± BEND ±	MFG APPR.		
		TWO PLACE DECIMAL ±	Q.A.		
		THREE PLACE DECIMAL ±	COMMENTS:		
		INTERPRET GEOMETRIC TOLERANCING PER:			
		MATERIAL			
		FINISH			
NEXT ASSY	USED ON				
APPLICATION		DO NOT SCALE DRAWING			




SIZE	DWG. NO.	REV
A	APS437/DR37	1
SCALE: 1:2	WEIGHT:	SHEET 1 OF 1



SIZE	DWG. NO.	REV
A	APS437/DR37	1
SCALE: 1:2	WEIGHT:	SHEET 1 OF 1



ISOMETRIC VIEW




PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DYNAMIC RUBBER, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DYNAMIC RUBBER, INC. IS PROHIBITED.


		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN MILLIMETERS	DRAWN	Ismael Solis	4/8/2014
		TOLERANCES:	CHECKED		
		FRACTIONAL $\pm$	ENG APPR.		
		ANGULAR: MACH $\pm$ BEND $\pm$	MFG APPR.		
		TWO PLACE DECIMAL $\pm$	Q.A.		
		THREE PLACE DECIMAL $\pm$	COMMENTS:		
		INTERPRET GEOMETRIC TOLERANCING PER:			
		MATERIAL			
		FINISH			
NEXT ASSY	USED ON				
APPLICATION		DO NOT SCALE DRAWING			



SIZE	DWG. NO.	REV
	APS4176/DR176	1
SCALE: 1:1	WEIGHT:	SHEET 1 OF 1



ISOMETRIC VIEW





PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DYNAMIC RUBBER, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DYNAMIC RUBBER, INC. IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE			
		DIMENSIONS ARE IN INCHES TOLERANCES:	DRAWN	T. Thompson	3/26/2010			
		FRACTIONAL ±	CHECKED					
		ANGULAR: MACH ± BEND ±	ENG APPR.					
		TWO PLACE DECIMAL ±	MFG APPR.					
		THREE PLACE DECIMAL ±	Q.A.			SIZE DWG. NO. REV A APS446/DR46 1		
		INTERPRET GEOMETRIC TOLERANCING PER:	COMMENTS:					
		MATERIAL						
		FINISH						
NEXT ASSY	USED ON							
APPLICATION		DO NOT SCALE DRAWING	SCALE: 1:1			WEIGHT:		SHEET 1 OF 1



SIZE	DWG. NO.	REV
A	APS446/DR46	1
SCALE: 1:1	WEIGHT:	SHEET 1 OF 1




ISOMETRIC VIEW

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DYNAMIC RUBBER, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DYNAMIC RUBBER, INC. IS PROHIBITED.


		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES		DRAWN	David Solis
		TOLERANCES:		CHECKED	
		FRACTIONAL $\pm$		ENG APPR.	
		ANGULAR: MACH $\pm$ BEND $\pm$		MFG APPR.	
		TWO PLACE DECIMAL $\pm$		Q.A.	
		THREE PLACE DECIMAL $\pm$		COMMENTS:	
		INTERPRET GEOMETRIC TOLERANCING PER:			
		MATERIAL			
		FINISH			
NEXT ASSY	USED ON				
APPLICATION		DO NOT SCALE DRAWING			



SIZE	DWG. NO.	REV
A	APS471/DR71	1
SCALE: 1:1	WEIGHT:	SHEET 1 OF 1



ISOMETRIC VIEW




PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DYNAMIC RUBBER, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DYNAMIC RUBBER, INC. IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE						
		DIMENSIONS ARE IN INCHES	DRAWN	T. Thompson	9/4/2009						
		TOLERANCES:	CHECKED								
		FRACTIONAL ±	ENG APPR.								
		ANGULAR: MACH ± BEND ±	MFG APPR.								
		TWO PLACE DECIMAL ±				SIZE DWG. NO. REV A APS495/DR95 1					
		THREE PLACE DECIMAL ±									
		INTERPRET GEOMETRIC TOLERANCING PER:	Q.A.								
		MATERIAL	COMMENTS:								
		FINISH									
NEXT ASSY	USED ON										
APPLICATION		DO NOT SCALE DRAWING					SCALE: 1:2		WEIGHT:	SHEET 1 OF 1	




SIZE A	DWG. NO. APS495/DR95	REV 1
SCALE: 1:2	WEIGHT:	SHEET 1 OF 1

13.0



19.1




ISOMETRIC VIEW

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DYNAMIC RUBBER, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DYNAMIC RUBBER, INC. IS PROHIBITED.


		UNLESS OTHERWISE SPECIFIED:		NAME	DATE			
		DIMENSIONS ARE IN MILLIMETERS	DRAWN	Ismael Solis	10/23/2014			
		TOLERANCES:	CHECKED					
		FRACTIONAL ±	ENG APPR.					
		ANGULAR: MACH ± BEND ±	MFG APPR.					
		TWO PLACE DECIMAL ±	Q.A.			SIZE DWG. NO. REV APS4186/DR186 1		
		THREE PLACE DECIMAL ±	COMMENTS:					
		INTERPRET GEOMETRIC TOLERANCING PER:						
		MATERIAL						
NEXT ASSY	USED ON	FINISH						
APPLICATION		DO NOT SCALE DRAWING				SCALE: 2:1 WEIGHT: SHEET 1 OF 1		



SIZE	DWG. NO.	REV
	APS4186/DR186	1
SCALE: 2:1	WEIGHT:	SHEET 1 OF 1



ISOMETRIC VIEW




PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DYNAMIC RUBBER, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DYNAMIC RUBBER, INC. IS PROHIBITED.


		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES	DRAWN	T. Thompson	9/4/2009
		TOLERANCES:	CHECKED		
		FRACTIONAL $\pm$	ENG APPR.		
		ANGULAR: MACH $\pm$ BEND $\pm$	MFG APPR.		
		TWO PLACE DECIMAL $\pm$	Q.A.		
		THREE PLACE DECIMAL $\pm$	COMMENTS:		
		INTERPRET GEOMETRIC TOLERANCING PER:			
		MATERIAL			
NEXT ASSY	USED ON	FINISH			
APPLICATION		DO NOT SCALE DRAWING			



SIZE A	DWG. NO. APS496/DR96	REV 1
SCALE:	WEIGHT:	SHEET 1 OF 1




ISOMETRIC VIEW




PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DYNAMIC RUBBER INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DYNAMIC RUBBER INC. IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE				
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN	I. Solís	7/10/2014				
			CHECKED						
			ENG APPR.						
			MFG APPR.						
		INTERPRET GEOMETRIC TOLERANCING PER:	Q.A.			COMMENTS:			
		MATERIAL							
		FINISH							
NEXT ASSY	USED ON					SIZE	DWG. NO.		REV
						A	APS4180/DR180		
APPLICATION		DO NOT SCALE DRAWING				SCALE: 1:2 WEIGHT:		SHEET 1 OF 1	



ISOMETRIC VIEW




PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DYNAMIC RUBBER, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DYNAMIC RUBBER, INC. IS PROHIBITED.


		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN MILLIMETERS	DRAWN	T. Thompson	11/11/2009
		TOLERANCES:	CHECKED		
		FRACTIONAL $\pm$	ENG APPR.		
		ANGULAR: MACH $\pm$ BEND $\pm$	MFG APPR.		
		TWO PLACE DECIMAL $\pm$	Q.A.		
		THREE PLACE DECIMAL $\pm$	COMMENTS:		
		INTERPRET GEOMETRIC TOLERANCING PER:			
		MATERIAL			
		FINISH			
NEXT ASSY	USED ON				
APPLICATION		DO NOT SCALE DRAWING			



SIZE	DWG. NO.	REV
A	APS436/DR36	1
SCALE: 1:2	WEIGHT:	SHEET 1 OF 1





ISOMETRIC VIEW




PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DYNAMIC RUBBER, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DYNAMIC RUBBER, INC. IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE			
		DIMENSIONS ARE IN INCHES TOLERANCES:	DRAWN	David Solis	3/11/2011			
		FRACTIONAL ±	CHECKED					
		ANGULAR: MACH ± BEND ±	ENG APPR.					
		TWO PLACE DECIMAL ±	MFG APPR.					
		THREE PLACE DECIMAL ±	Q.A.			SIZE DWG. NO. REV APS476/DR76 1		
		INTERPRET GEOMETRIC TOLERANCING PER:	COMMENTS:					
		MATERIAL						
		FINISH						
NEXT ASSY	USED ON							
APPLICATION		DO NOT SCALE DRAWING	SCALE: 1:1 WEIGHT: SHEET 1 OF 1					




PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS
 DRAWING IS THE SOLE PROPERTY OF
 DYNAMIC RUBBER INC. ANY
 REPRODUCTION IN PART OR AS A WHOLE
 WITHOUT THE WRITTEN PERMISSION OF
 DYNAMIC RUBBER INC. IS
 PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE			
		DIMENSIONS ARE IN INCHES TOLERANCES:	DRAWN	I. Solis	9/15/2014			
		FRACTIONAL ±	CHECKED					
		ANGULAR: MACH ± BEND ±	ENG APPR.					
		TWO PLACE DECIMAL ±	MFG APPR.					
		THREE PLACE DECIMAL ±	Q.A.			SIZE A DWG. NO. APS439/DR39 REV 2		
		INTERPRET GEOMETRIC TOLERANCING PER:	COMMENTS:					
		MATERIAL						
		FINISH						
NEXT ASSY	USED ON							
APPLICATION		DO NOT SCALE DRAWING	SCALE: 1:2 WEIGHT:			SHEET 1 OF 1		




ISOMETRIC VIEW




PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS
 DRAWING IS THE SOLE PROPERTY OF
 DYNAMIC RUBBER, INC. ANY
 REPRODUCTION IN PART OR AS A WHOLE
 WITHOUT THE WRITTEN PERMISSION OF
 DYNAMIC RUBBER, INC. IS
 PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE			
		DIMENSIONS ARE IN INCHES TOLERANCES:	DRAWN	David Solis	2/22/2011			
		FRACTIONAL ±	CHECKED					
		ANGULAR: MACH ± BEND ±	ENG APPR.					
		TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	MFG APPR.					
		INTERPRET GEOMETRIC TOLERANCING PER:	Q.A.			SIZE DWG. NO. REV A APS4103/DR103		
		MATERIAL	COMMENTS:					
		FINISH						
NEXT ASSY	USED ON					SCALE: 1:1	WEIGHT:	SHEET 1 OF 1
APPLICATION		DO NOT SCALE DRAWING						





ISOMETRIC VIEW



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DYNAMIC RUBBER, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DYNAMIC RUBBER, INC. IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE		
		DIMENSIONS ARE IN MILLIMETERS	DRAWN	Ismael Solis	1/8/2014		
		TOLERANCES:	CHECKED				
		FRACTIONAL ±	ENG APPR.				
		ANGULAR: MACH ± BEND ±	MFG APPR.				
		TWO PLACE DECIMAL ±	Q.A.			SIZE DWG. NO. REV A APS4170/DR170 1	
		THREE PLACE DECIMAL ±	COMMENTS:				
		INTERPRET GEOMETRIC TOLERANCING PER:					
		MATERIAL					
NEXT ASSY	USED ON	FINISH					
APPLICATION		DO NOT SCALE DRAWING	SCALE: 1:1 WEIGHT:				SHEET 1 OF 1




PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
DYNAMIC RUBBER, INC. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF
DYNAMIC RUBBER, INC. IS
PROHIBITED.


		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES	DRAWN	Ismael Solis	1/4/2012
		TOLERANCES:	CHECKED		
		FRACTIONAL $\pm$	ENG APPR.		
		ANGULAR: MACH $\pm$ BEND $\pm$	MFG APPR.		
		TWO PLACE DECIMAL $\pm$	Q.A.		
		THREE PLACE DECIMAL $\pm$	COMMENTS:		
		INTERPRET GEOMETRIC TOLERANCING PER:			
		MATERIAL			
		FINISH			
NEXT ASSY	USED ON				
APPLICATION		DO NOT SCALE DRAWING			



SIZE	DWG. NO.	REV
	APS4126/DR126	1
SCALE: 1:2	WEIGHT:	SHEET 1 OF 1





ISOMETRIC VIEW



PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS
 DRAWING IS THE SOLE PROPERTY OF
 DYNAMIC RUBBER, INC. ANY
 REPRODUCTION IN PART OR AS A WHOLE
 WITHOUT THE WRITTEN PERMISSION OF
 DYNAMIC RUBBER, INC. IS
 PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE			
		DIMENSIONS ARE IN INCHES	DRAWN	David Solis	9/13/2010			
		TOLERANCES:	CHECKED					
		FRACTIONAL ±	ENG APPR.					
		ANGULAR: MACH ± BEND ±	MFG APPR.					
		TWO PLACE DECIMAL ±				SIZE DWG. NO. REV APS459/DR59 1		
		THREE PLACE DECIMAL ±						
		INTERPRET GEOMETRIC TOLERANCING PER:	Q.A.					
		MATERIAL	COMMENTS:					
		FINISH						
NEXT ASSY	USED ON							
APPLICATION		DO NOT SCALE DRAWING				SCALE: 1:1 WEIGHT: SHEET 1 OF 1		





ISOMETRIC VIEW

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DYNAMIC RUBBER, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DYNAMIC RUBBER, INC. IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE				
		DIMENSIONS ARE IN MILLIMETERS	DRAWN	T. Thompson	6/11/2010				
		TOLERANCES:	CHECKED						
		FRACTIONAL ±	ENG APPR.						
		ANGULAR: MACH ± BEND ±	MFG APPR.						
		TWO PLACE DECIMAL ±	Q.A.			SIZE A DWG. NO. APS452/DR52 REV 1			
		THREE PLACE DECIMAL ±	COMMENTS:						
		INTERPRET GEOMETRIC TOLERANCING PER:							
		MATERIAL							
NEXT ASSY	USED ON	FINISH							
APPLICATION		DO NOT SCALE DRAWING	SCALE: 1:1				WEIGHT:	SHEET 1 OF 1	



SIZE A	DWG. NO. APS452/DR52	REV 1
SCALE: 1:1	WEIGHT:	SHEET 1 OF 1





iSOMETRIC VIEW

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS
 DRAWING IS THE SOLE PROPERTY OF
 DYNAMIC RUBBER, INC. ANY
 REPRODUCTION IN PART OR AS A WHOLE
 WITHOUT THE WRITTEN PERMISSION OF
 DYNAMIC RUBBER, INC. IS
 PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE		
		DIMENSIONS ARE IN MM	DRAWN	David Solis	3/23/2011		
		TOLERANCES:	CHECKED				
		FRACTIONAL $\pm$	ENG APPR.				
		ANGULAR: MACH $\pm$ BEND $\pm$	MFG APPR.				
		TWO PLACE DECIMAL $\pm$	Q.A.				
		THREE PLACE DECIMAL $\pm$	COMMENTS:				
		INTERPRET GEOMETRIC					
		TOLERANCING PER:					
		MATERIAL					
		FINISH					
NEXT ASSY	USED ON						
APPLICATION		DO NOT SCALE DRAWING					



SIZE DWG. NO.		REV
A APS4105/DR105		
SCALE: 2:1	WEIGHT:	SHEET 1 OF 1




ISOMETRIC VIEW

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DYNAMIC RUBBER, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DYNAMIC RUBBER, INC. IS PROHIBITED.


		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES	DRAWN	T. Thompson	10/21/2009
		TOLERANCES:	CHECKED		
		FRACTIONAL $\pm$	ENG APPR.		
		ANGULAR: MACH $\pm$ BEND $\pm$	MFG APPR.		
		TWO PLACE DECIMAL $\pm$	Q.A.		
		THREE PLACE DECIMAL $\pm$	COMMENTS:		
		INTERPRET GEOMETRIC TOLERANCING PER:			
		MATERIAL			
		FINISH			
NEXT ASSY	USED ON				
APPLICATION		DO NOT SCALE DRAWING			



SIZE	DWG. NO.	REV
A	APS485/DR85	2
SCALE: 1:2	WEIGHT:	SHEET 1 OF 1



ISOMETRIC VIEW





PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DYNAMIC RUBBER, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DYNAMIC RUBBER, INC. IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE
		DIMENSIONS ARE IN INCHES	DRAWN	T. Thompson	10/21/2009
		TOLERANCES:	CHECKED		
		FRACTIONAL $\pm$	ENG APPR.		
		ANGULAR: MACH $\pm$ BEND $\pm$	MFG APPR.		
		TWO PLACE DECIMAL $\pm$	Q.A.		
		THREE PLACE DECIMAL $\pm$	COMMENTS:		
		INTERPRET GEOMETRIC TOLERANCING PER:			
		MATERIAL			
		FINISH			
NEXT ASSY	USED ON				
APPLICATION		DO NOT SCALE DRAWING			



SIZE	DWG. NO.	REV
A	APS490/DR90	1
SCALE: 1:2	WEIGHT:	SHEET 1 OF 1



ISOMETRIC VIEW

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DYNAMIC RUBBER, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DYNAMIC RUBBER, INC. IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE												
		DIMENSIONS ARE IN INCHES TOLERANCES:	DRAWN	T. Thompson	1/6/2010												
		FRACTIONAL ±	CHECKED														
		ANGULAR: MACH ± BEND ±	ENG APPR.														
		TWO PLACE DECIMAL ±	MFG APPR.														
		THREE PLACE DECIMAL ±	Q.A.			<table><tr><td>SIZE</td><td>DWG. NO.</td><td>REV</td></tr><tr><td>A</td><td>APS4101/DR101</td><td>1</td></tr><tr><td>SCALE: 1:2</td><td>WEIGHT:</td><td>SHEET 1 OF 1</td></tr></table>			SIZE	DWG. NO.	REV	A	APS4101/DR101	1	SCALE: 1:2	WEIGHT:	SHEET 1 OF 1
SIZE	DWG. NO.	REV															
A	APS4101/DR101	1															
SCALE: 1:2	WEIGHT:	SHEET 1 OF 1															
		INTERPRET GEOMETRIC TOLERANCING PER:	COMMENTS:														
		MATERIAL															
		FINISH															
NEXT ASSY	USED ON																
APPLICATION		DO NOT SCALE DRAWING															



SIZE	DWG. NO.	REV
A	APS4101/DR101	1
SCALE: 1:2	WEIGHT:	SHEET 1 OF 1

Resistenstabell (1-5, varav = bästa egenskaper)

Namn	EPDM*	CR*	NBR*	NR*	IIR*	VMQ*	FVMQ*	FKM*
Draghållfasthet	5	5	5	5	5	3	3	4
Materialhårdhet (Durometer A)	40 - 90	40 - 95	40 - 90	40 - 90	40 - 75	40 - 85	40 - 70	70 - 90
Maxtemperatur (°C)	130	95	115	85	100	235	200	205
Rivhållfasthet	3	3	2	3	3	2	1	2
Slithållfasthet	4	4	3	5	3	1	2	3
Elasticitet vid kyla	3	3	3	3	1	5	3	2
Elasticitet vid värme	4	4	3	2	4	5	5	5
Diffusionstäthet	3	3	3	2	5	2	5	1
Strålningsresistens	5	3	1	3	3	3	5	5
Resistens mot:								
Olja och gas	1	3	5	1	1	2	3	5
Vattenabsorbtion	4	3	4	4	4	5	5	5
Oxidation	5	4	3	2	5	5	5	3
Ozon	5	4	2	2	3	5	5	5
Formförändring i olja	1	3	4	1	1	1	5	5
UV-beständighet	5	4	1	2	4	5	5	3
Värmebeständighet	4	3	3	3	3	5	5	5
Låg temperatur	4	3	3	3	3	5	3	2
Vegetabiliska oljor	2	3	3	1	2	1	5	5
Animaliska oljor	2	2	5	1	2	3	5	5
Öppen låga	1	3	1	1	1	2	5	5
Klorerad kolväte	1	1	1	3	5	1	1	2
Lösningsmedel								
Syresatta ketoner	3	1	1	1	3	1	2	2
Aromatiskt kolväte	1	1	1	1	1	1	5	5
Alifatiskt kolväte	3	5	1	1	1	3	5	4
Syresistens								
Starkt koncentrat	3	3	3	1	3	2	3	5
Svagt koncentrat	5	5	3	2	5	5	5	5

*EPDM - Etylen-propylen, CR - Chloropren, NBR - Nitril, NR - Naturgummi, IIR - Butyl, VMQ - Silikon, FVMQ - Fluoro silikon, FKM - Fluoroelastomer